

I. IDENTIFICATION

Product identification used on label	
Product Name:	SCATTER BUBBLEGUM
Product Identifier:	
Recommended Use of the	GRANULAR ODOR COUNTERACTANT
Chemical and restrictions on use:	

Company:	AIR-SCENT INT'L RIDC INDUSTRIAL PARK
	290-298 ALPHA DRIVE
	PITTSBURGH, PA 15238
Emergency Phone	EMERGENCY PHONE: (800) 535-5053
Number:	INFORMATION PHONE: 800-247-0770
	INFORMATION FAX: 412-252-1010
	IF SWALLOWED CALL YOUR POISON
	CONTROL CENTER AT 1-800-222-1222

II. HAZARD(S) IDENTIFICATION

Classification of the chemical in accordance with paragraph (d) of §1910.1200;



GHS Classification: GHS Signal Word: GHS Hazard	Skin Sensitisation Category 1; Specific Target Organ Systemic Toxicity (STOT) - Repeated Exposure Category 2; Acute Toxicity - Inhalation Dust / Mist Category 4 Warning May cause an allergic skin reaction. Harmful if inhaled. May cause damage to organs through prolonged or repeated exposure.
	Inhalation of excessive concentration s of any dust, including this material, may lead to lung injury. This product contains Crystalline Silica. Excessive inhalation of respirable crystalline silica may cause silicosis, a progressive, disabling and fatal disease of the lung. Symptoms may include cough, shortness of breath, wheezing and reduced pulmonary function. The International Agency for Research on Cancer (IARC) in Monograph 68 has concluded that crystalline silica inhaled in the form of quartz or cristobalite, from occupational sources is a carcinogenic to humans (Group 1). However, in making the overall evaluation, the working group noted that carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline

SCATTER BUBBLEGUM

Page 1 of 7

silica or on external factors affecting its biological activity or distribution of its polymorphs. The National Toxicology Program (NTP) classifies crystalline silica as a known carcinogen. The company is not aware of any scientific or medical data available indicating that exposure to dust from this product under conditions of normal use will cause silicosis or cancer. Adverse effects would not be expected from normal use of this product.

GHS Precautions:	
Safety Precautions:	Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear eye protection.
First Aid Measures:	IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. Get medical advice/attention if you feel unwell). If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Storage & Disposal:	Store in a cool, well ventilated area. Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous wastes.

III. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS #	%
Fullers earth	8031-18-3	30 - 60
Crystalline silica	14808-60-7	1 - 5
n-amyl acetate	628-63-7	15 – 40
Oils, orange sweet	8008-57-9	10 - 30
2-Methyl-2,4-pentanediol	107-41-5	5 - 10
Butanoic acid, ethyl ester	105-54-4	1-5
Butanoic acid, 3-methylbutyl ester	106-27-4	0.5 – 1.5

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret is required.

IV. FIRST-AID MEASURES

Inhalation:	Remove to fresh air. If breathing is difficult, have a trained individual administer
	oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately
Eyes:	Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt
Lyes.	the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention.
Skin Contact:	Wash with soap and water. Remove contaminated clothing and launder. Get medical attention if irritation develops or persists.
Ingestion:	Do not induce vomiting and seek medical attention immediately. Drink two glasses of water or milk to dilute. Provide medical care provider with this MSDS.
Most important	
symptoms and effects -	No Data Available
acute	
Most important	
symptoms and effects -	No Data Available

SCATTER BUBBLEGUM

		•
chronic Notes to Doctor:	No additional fir	st aid information available
Notes to Doctor.		
V. FIRE FIGHTING MEASUR	ES	
Flammability Summary:		ombustible
Extinguishing Media:		se alcohol resistant foam, carbon dioxide, or dry chemical
		tinguishing agents. Water may be ineffective but water spray can e used extinguish a fire if swept across the base of the flames.
		ater can absorb heat and keep exposed material from being
		imaged by fire.
Extinguishing Media advis	•	o Data Available
Fire and/or Explosion Haz		apors may be ignited by sparks, flames or other sources of ignition
		material is above the flash point giving rise to a fire (Class B). apors are heavier than air and may travel to a source of ignition and
		ish back.
Fire Fighting Methods and		o not enter fire area without proper protection including self-
	СС	ntained breathing apparatus and full protective equipment. Fight
		e from a safe distance and a protected location due to the
Hazardous Combustion Pr		otential of hazardous vapors and decomposition products. Irbon dioxide, Carbon monoxide
VI. ACCIDENTAL RELEASE N	IEASURES	
Personal Precautions and	Equipment: No	health affects expected from the clean-up of this material if
		tact can be avoided. Follow personal protective equipment
Mathada fan Claan we		ommendations found in Section VIII of this MSDS
Methods for Clean-up:	tra	special spill clean-up considerations. Collect and discard in regular sh.
VII. HANDLING AND STORA	GE	
Handling Technical Measu	res and Precautions	
		spark-proof tools and explosion-proof equipment As with all
		chemicals, good industrial hygiene practices should be followed when handling this material. Use with adequate
		ventilation Wash thoroughly after handling Do not get in
		eyes, on skin and clothing Ground and bond containers when
		transferring material "Empty" containers retain product
a. <u> </u>		residue (liquid and/or vapor) and can be dangerous.
Storage Technical Measur	es and Conditions:	Store in a cool dry place. Isolate from incompatible materials. Keep away from sources of ignition Store in a cool place in
		original container and protect from sunlight Do not store
		near combustible materials Store in a tightly closed container
Materials to Avoid/Chemi	ical Incompatibility:	Strong oxidizing agents Acids Strong alkalies Nitrogen oxides
VIII. EXPOSURE CONTROLS	PERSONAL PROTEC	TION
Engineering Measures:		exist for the constituents of this product. Use local exhaust
		r engineering controls to minimize exposures and maintain
		Engineering controls must be designed to meet the OSHA chemical
SCATTER BUBBLEGUM		Page 3 of 7

specific standard in 29 CFR 1910. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits Facilities storing or using this material should be equipped with an eyewash and safety shower.

Respiratory Protection: Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator. **Eye Protection:** Wear chemically resistant safety glasses with side shields when handling this product. Do not wear contact lenses. Wear goggles and a Face shield **Skin Protection:** Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work Gloves: No information available Use spark-proof tools and explosion-proof equipment As with all chemicals, good Handling Instructions: industrial hygiene practices should be followed when handling this material. Use with adequate ventilation Wash thoroughly after handling Do not get in eyes, on skin and clothing Ground and bond containers when transferring material "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous.

Control Parameters:			
Chemical Name	ACGIH TLV-TWA	ACGIH STEL	OSHA PEL
No Data Available	No TLV		No PEL established

IX. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Solid (Granular)	
Color:	Earthen Brown	
Odor:	Bubble Gum Like	
Odor Threshold:	ND	
pH:	Not Available	
Flash Point:	> 145 º F	
Evaporation Rate:	Not Available	
Flammability (Solid, Gas):	No Data Available	
Upper Flammable/Explosive Limit:	Not Available	
Lower Flammable/Explosive Limit:	Not Available	
Vapor Density:	>1	
Relative Density:	1	
Solubility in Water:	Soluble in water- No	
Volatiles, % by weight:	1.75	
Volatiles, % by weight:	1.75	
Bulk Density:	279.357	

X. STABILITY AND REACTIVITY

Reactivity:

SCATTER BUBBLEGUM

Chemical Stability:	Stable under normal conditions.
Possibility of Hazardous Reactions:	No Data Available
Conditions to Avoid:	Temperatures above flash point in combination with sparks, open flames, or other sources of ignition.
Materials to Avoid/Chemical Incompatibility: Hazardous Decomposition Products:	Strong oxidizing agents Acids Strong alkalies Nitrogen oxides Carbon dioxide Carbon monoxide

XI. TOXICOLOGICAL INFORMATION

Routes of Entry: Most Important	Inhalation, Ingestion, Skin contact, Eye contact No Data Available	
Symptoms:		
Target Organs Poten	tially Affected by Exposure:	Eyes, Nervous System, Respiratory Tract, Skin
Chemical Interaction	s That Change Toxicity:	None Known
Medical Conditions A	Aggravated by Exposure:	Eye disease, Respiratory disease including asthma and bronchitis, Skin disease including eczema and sensitization

Immediate (Acute) Health Effects by Route of Exposure:

Inhalation Irritation:	Can cause respiratory irritation.
Skin Contact:	Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause permanent damage.
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue.
Ingestion Irritation:	Irritating to mouth, throat, and stomach. Can cause abdominal discomfort, nausea, vomiting and diarrhea.
Ingestion Toxicity:	Harmful if swallowed.

Long-Term (Chronic) Health Effects:

Carcinogenicity:	IARC and NTP have determined that respirable crystalline silica inhaled from occupational sources can cause cancer in humans. Risk or injury is dependent upon on the duration and level of exposure. Crystalline silica is not regulated as a human carcinogen by the Occupational Safety and Health Administration (OSHA) as a carcinogen.
Reproductive toxicity:	No data available to indicate product or any components present at greater than 0.1% may cause birth defects.
Germ cell mutagenicity:	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.
Inhalation:	Upon prolonged and/or repeated exposure, can cause moderate respiratory irritation, dizziness, weakness, fatigue, nausea and headache.
Skin Contact:	Upon prolonged or repeated contact, can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause permanent damage.
Skin Absorption:	Upon prolonged or repeated exposure, no hazard in normal industrial use.

Component Toxicology Data: Chemical Name	CAS Number	LD50/LC50
No data available		
SCATTER BUBBLEGUM		

Has the chemical been classified as a Carcinogen by NTP, IARC or OSHA.

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No Data Available			

XII. ECOLOGICAL INFORMATION

	This material is not e No Data Available	xpected to be harmfu	I to the ecology.	
	No Data Available			
	No Data Available			
Other adverse effects	No Data Available			
Ecotoxicity Data				
Chemical Name	CAS Number	Aquatic EC50	Aquatic ERC50	Aquatic LC50 Fish
No Data Available		Crustacea	Algae	
XIII. DISPOSAL CONSIDERATION	S			
Waste Description for Spent Pr Waste Description for Empty Packaging:	roduct: Spent or o No Data		ay be a hazardous wast	e.
Disposal Methods:	BODY OF Federal, S may vary compliand generator practices material. when use uncontan licensed a Various fe regulation disposal c user shall	WATER. All disposal itate/Provincial and lo in different locations ce with applicable law r. As your supplier, w or manufacturing pro The information pres d as intended, accord ninated product, the p and permitted inciner ederal, state or provir as concerning the tran of this product which	ERS, ON THE GROUND, practices must be in co ocal laws and regulation . Waste characterization seare the sole responsi- e have no control over ocesses of parties handle seared here pertains or ling to this MSDS. For up preferred options include ator or other thermal co- ncial agencies may have ensportation, handling, se may not be covered in e regulations to ensure	mpliance with all ns. Regulations ons and ibility of the waste the management ling or using this nly to the product unused and de sending to a destruction device. e specific storage, use or this MSDS. The
XIV. TRANSPORTATION INFORM	IATION			
US DOT Ground Shipping Descrip				
IATA Shipping Description:	Not Rest			
IMDG Shipping Description:	Not Rest	ricted		
XV. REGULATORY INFORMATIO	N			

SCATTER BUBBLEGUM

TSCA Status All components in this product are on the TSCA Inventory.

Chemical Name	CAS #	Regulation	% Range
No 313-listed chemicals in this product		SARA 313	

XVI. OTHER INFORMATION

Revision Date:	01-29-2015
Disclaimer:	Important: While the descriptions, data and information contained herein are presented in good faith and believed to be accurate, it is provided for your guidance only. Because many factors may affect processing or application/use, we recommend that you perform an assessment to determine the suitability of the product for your particular purpose prior to use. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. No warranties of any kind, either expressed or implied, including fitness for a particular purpose are made regarding the product described. We assume NO responsibility for any injuries resulting from misuse or misapplication of this product or that might be sustained because of inhalation, ingestion, absorption or other contact with this product. In no case shall the descriptions, information, or data provided be considered a part of our terms and conditions of sale. Further, the descriptions, data and information furnished hereunder are given gratis. No obligation or liability for the description, data and information given are assumed. All such being given and accepted at your risk.