

Revision date: 2016/12/05 Page: 1/15

Version: 3.0 (30603278/SDS_CPA_US/EN)

1. Identification

Product identifier used on the label

MOTHEREARTH 2% PY CONTACT INSECTICIDE

Recommended use of the chemical and restriction on use

Recommended use*: insecticide

Details of the supplier of the safety data sheet

Company:

BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Substance number: 568285 EPA Registration number: 499-520 Synonyms: Pyrethrum

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Flam. Aerosol 1 Flammable aerosols Skin Sens. 1 Skin sensitization

STOT SE 3 (Vapours may cause Specific target organ toxicity — single exposure

drowsiness and

dizziness.)

Aquatic Acute 1 Hazardous to the aquatic environment - acute Aquatic Chronic 1 Hazardous to the aquatic environment - chronic

^{*} The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Revision date : 2016/12/05 Page: 2/15 Version: 3.0 (30603278/SDS_CPA_US/EN)

Label elements

Pictogram:



Signal Word: Danger

Hazard Statement:

H222 Extremely flammable aerosol.
 H317 May cause an allergic skin reaction.
 H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H229 Pressurized container: May burst if heated.

Precautionary Statements (Prevention):

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P280 Wear protective gloves.

P273 Avoid release to the environment.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P271 Use only outdoors or in a well-ventilated area.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P272 Contaminated work clothing should not be allowed out of the workplace.

Precautionary Statements (Response):

P312 Call a POISON CENTER or doctor/physician if you feel unwell.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P303 + P352 IF ON SKIN (or hair): Wash with plenty of soap and water. P333 + P311 If skin irritation or rash occurs: Call a POISON CENTER or

doctor/physician.

P391 Collect spillage.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Storage):

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P410 + P412 Protect from sunlight. Do no expose to temperatures exceeding 50°C/

122°F.

P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to hazardous or special waste collection

point.

Hazards not otherwise classified

Labeling of special preparations (GHS):

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 0 - 1 % dermal

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 0 - 1 % oral

Revision date: 2016/12/05 Page: 3/15 Version: 3.0 (30603278/SDS_CPA_US/EN)

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 4 - 5 % Inhalation - vapour

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 6 - 7 % Inhalation - mist

According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Emergency overview

CAUTION:

KEEP OUT OF REACH OF CHILDREN.

KEEP OUT OF REACH OF DOMESTIC ANIMALS.

Prolonged or repeated skin contact may cause sensitization or allergic reactions.

Avoid contact with the skin, eyes and clothing.

Wash thoroughly after handling.

Flammable Liquid

Aerosol container contains flammable gas under pressure.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number	Weight %	Chemical name
8003-34-7	2.0 %	Pyrethrins
67-64-1	50.0 - 75.0%	Acetone
64742-47-8	1.0 - 3.0%	Distillates, petroleum

According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number	Weight %	Chemical name
8003-34-7	2.0 %	Pyrethrins
67-64-1		Acetone
115-10-6		dimethyl ether
64742-47-8		Distillates, petroleum
124-38-9		carbon dioxide
	<= 80.0%	Proprietary ingredients

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Wash thoroughly with soap and water.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

Revision date : 2016/12/05 Page: 4/15 Version: 3.0 (30603278/SDS_CPA_US/EN)

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treat according to symptoms (decontamination, vital functions), no

known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: foam, dry powder, carbon dioxide

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide,

The substances/groups of substances mentioned can be released in case of fire. Aerosol container contains flammable gas under pressure. Risk of explosion at excessive temperatures.

Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water. A spill of or in excess of the reportable quantity requires notification to state, local and national emergency authorities. This product is regulated by CERCLA ('Superfund').

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable

Revision date : 2016/12/05 Page: 5/15 Version: 3.0 (30603278/SDS_CPA_US/EN)

containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for controlling leaks and spills. Follow label warnings even after container is emptied. The substance/product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

Aerosol container contains flammable gas under pressure. The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme heat. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Conditions for safe storage, including any incompatibilities

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Further information on storage conditions: Protect containers from physical damage. Store in a cool, dry, well-ventilated area. Avoid all sources of ignition: heat, sparks, open flame.

Storage stability:

May be kept indefinitely if stored properly.

If an expiry date is mentioned on the packaging/label this takes priority over the statements on storage duration in this safety data sheet.

Protect from temperatures above: 130 °F

Explosive at or above indicated temperature.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

Acetone	OSHA PEL	PEL 1,000 ppm 2,400 mg/m3; TWA value 750 ppm 1,800 mg/m3; STEL value 1,000 ppm 2,400 mg/m3; STEL value 500 ppm; TWA value 250 ppm;
carbon dioxide	OSHA PEL	PEL 5,000 ppm 9,000 mg/m3; STEL value 30,000 ppm 54,000 mg/m3; TWA value 10,000 ppm 18,000 mg/m3;
	ACGIH TLV	ppm 18,000 mg/m3; STEL value 30,000 ppm; TWA value 5,000 ppm;
Pyrethrins	OSHA PEL	PEL 5 mg/m3 : TWA value 5 mg/m3 :

Revision date : 2016/12/05 Page: 6/15 Version: 3.0 (30603278/SDS_CPA_US/EN)

ACGIH TLV TWA value 5 mg/m3;

Distillates, petroleum

ACGIH TLV TWA value 200 mg/m3 Non-aerosol (total

hydrocarbon vapor);

Application restricted to conditions in which there

are negligible aerosol exposures. Skin Designation Non-aerosol (total

hydrocarbon vapor);

The substance can be absorbed through the skin.

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: liquid, aerosol Odour: characteristic

Revision date : 2016/12/05 Page: 7/15 Version: 3.0 (30603278/SDS_CPA_US/EN)

Odour threshold: Not determined due to potential health hazard by inhalation.

Colour: yellow, clear

pH value: approx. 4.3 - 6.3 (pH Meter)

(1 %(m), 24 °C)

Melting point: approx. -94.7 °C

Information applies to the solvent.

Flash point: not determined

Flammability: Extremely flammable.

Flammability of Aerosol > 18 in (ASTM D 3065)

Products:

NFPA 30B flammability: Level 1 Aerosol

Flammability of Aerosol > 45.72 cm (ASTM D 3065)

Products: no flashback

Lower explosion limit: 3.4 %(V) (air)
Upper explosion limit: 18.0 %(V) (air)

Vapour pressure: approx. 240 hPa

(20 °C)

Information applies to the solvent.

Density: approx. 0.87 g/cm3

(approx. 20 °C)

Vapour density: not applicable Partitioning coefficient n-not applicable

octanol/water (log Pow):

Thermal decomposition: carbon monoxide, carbon dioxide

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To

avoid thermal decomposition, do not overheat.

Viscosity, dynamic: approx. 1.27 mPa.s

(approx. 21 °C)

Solubility in water: dispersible Evaporation rate: not applicable

Other Information: If necessary, information on other physical and chemical

parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

The product is chemically stable.

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

Incompatible materials

Revision date : 2016/12/05 Page: 8/15 Version: 3.0 (30603278/SDS_CPA_US/EN)

No substances known that should be avoided.

Hazardous decomposition products

Decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition:

Possible thermal decomposition products:

carbon monoxide, carbon dioxide

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Relatively nontoxic after single ingestion. Relatively nontoxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

<u>Oral</u>

Type of value: LD50 Species: rat (male/female)

Value: > 5,000 mg/kg (EPA Guideline)

No mortality was observed.

Inhalation

Type of value: LC50 Species: rat (male/female)

Value: > 2.16 mg/l (OECD Guideline 403)

Exposure time: 4 h

An aerosol with respirable particles was tested.

No mortality was observed.

Dermal

Type of value: LD50 Species: rat (male/female) Value: > 5,000 mg/kg No mortality was observed.

Assessment other acute effects

Assessment of STOT single:

Possible narcotic effects (drowsiness or dizziness).

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Revision date : 2016/12/05 Page: 9/15 Version: 3.0 (30603278/SDS_CPA_US/EN)

Assessment of irritating effects: May cause moderate but temporary irritation to the eyes. May cause moderate irritation to the skin.

Skin

Species: rabbit

Result: moderately irritating

<u> Eye</u>

Species: rabbit

Result: Slightly irritating. Method: EPA Guideline

Sensitization

Assessment of sensitization: Caused skin sensitization in animal studies.

Buehler test

Species: guinea pig

Result: Caused skin sensitization in animal studies.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Acetone

Assessment of repeated dose toxicity: The substance may cause damage to the testes after repeated ingestion of high doses, as shown in animal studies. The substance may cause damage to the hematological system after repeated ingestion of high doses. The substance may cause damage to the kidney after repeated ingestion of high doses, as shown in animal studies.

Information on: carbon dioxide

Assessment of repeated dose toxicity: The substance may cause damage to the lung after repeated inhalation of high doses. The substance may cause damage to the heart after repeated inhalation of high doses, as shown in animal studies.

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Information on: pyrethrum

Assessment of mutagenicity: Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components. No mutagenic effects reported.

Information on: Acetone

Assessment of mutagenicity: In the majority of studies performed with microorganisms and in mammalian cell culture, a mutagenic effect was not found. A mutagenic effect was also not observed in in vivo tests.

Information on: dimethyl ether

Assessment of mutagenicity: No mutagenic effect was found in various tests with microorganisms and mammalian cell culture. Literature data.

Revision date : 2016/12/05 Page: 10/15 Version: 3.0 (30603278/SDS_CPA_US/EN)

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyrethrum

Assessment of carcinogenicity: The results of various animal studies gave no indication of a carcinogenic effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Not Likely to Be Carcinogenic to Humans.

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyrethrum

Assessment of reproduction toxicity: No reproductive toxic effects reported.

Information on: Acetone

Assessment of reproduction toxicity: As shown in animal studies, the product may cause damage to the testes after repeated high exposures that cause other toxic effects.

Information on: dimethyl ether

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect. Literature data.

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Information on: pyrethrum

Assessment of teratogenicity: No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Information on: Acetone

Assessment of teratogenicity: In animal studies the substance did not cause malformations.

Information on: dimethyl ether

Assessment of teratogenicity: In animal studies the substance did not cause malformations.

Literature data.

Other Information

Misuse can be harmful to health. Has a degreasing effect on skin.

Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

12. Ecological Information

Toxicity

Revision date : 2016/12/05 Page: 11/15 Version: 3.0 (30603278/SDS_CPA_US/EN)

Aquatic toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Toxicity to fish

Information on: pyrethrum

LC50 (96 h) 0.0052 mg/l, Oncorhynchus mykiss (static)

LC50 (96 h) 0.01 mg/l, Lepomis macrochirus

Information on: Acetone

LC50 (96 h) 6,210 mg/l, Pimephales promelas (OECD 203; ISO 7346; 84/449/EEC, C.1, Flow

through.)

The statement of the toxic effect relates to the analytically determined concentration.

LC50 (96 h) 5,540 mg/l, Oncorhynchus mykiss (Fish test acute, static)

Nominal concentration.

Information on: dimethyl ether

No observed effect concentration (96 h) > 4,000 mg/l, Poecilia reticulata (other, semistatic)

The product is highly volatile. Tested in a closed test system.

Aquatic invertebrates

Information on: pyrethrum

EC50 (48 h) 0.012 mg/l, Daphnia magna EC50 (48 h) 0.0014 mg/l, Mysidopsis bahia

Information on: Acetone

LC50 (48 h) 8,800 mg/l, Daphnia pulex (Daphnia test acute, static)

Nominal concentration.

LC50 (24 h) 2,100 mg/l, Artemia salina (Daphnia test acute, static)

Nominal concentration.

Information on: dimethyl ether

No observed effect concentration (48 h) > 4,000 mg/l, Daphnia magna (other, static)

The product is highly volatile. Tested in a closed test system.

Aquatic plants

Information on: Acetone

Toxic limit concentration (8 d) 530 mg/l (biomass), Microcystis aeruginosa (DIN 38412 Part 9, static)

Nominal concentration.

Chronic toxicity to fish

Information on: pyrethrum

No observed effect concentration 0.0019 mg/l, Pimephales promelas

Chronic toxicity to aquatic invertebrates

Information on: pyrethrum

Revision date : 2016/12/05 Page: 12/15 Version: 3.0 (30603278/SDS_CPA_US/EN)

No observed effect concentration (28 d) 0.00086 mg/l, Daphnia magna

Persistence and degradability

Assessment biodegradation and elimination (H2O)

The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment biodegradation and elimination (H2O)

Information on: pyrethrum

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

Bioaccumulation potential

Information on: pyrethrum

Bioconcentration factor: 471

Accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyrethrum

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Revision date: 2016/12/05 Page: 13/15 Version: 3.0 (30603278/SDS_CPA_US/EN)

Container disposal:

Do not cut, puncture, crush, or incinerate empty aerosol containers. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Empty aerosol cans may meet the definition of RCRA D003. Consult local and/or regional EPA for further guidance.

14. Transport Information

Land transport

USDOT

Hazard class: 2.1 UN 1950 ID number: Hazard label: 2.1, EHSM Proper shipping name: **AEROSOLS**

Sea transport

IMDG

Hazard class: 2.1 ID number: UN 1950 Hazard label: 2.1, EHSM Marine pollutant: YES

Proper shipping name: **AEROSOLS**

Air transport

IATA/ICAO

Hazard class: 21 ID number: UN 1950 Hazard label: 2.1

Proper shipping name: AEROSOLS, FLAMMABLE

Further information

DOT: This product may be classified as ORM-D (Consumer Commodity) or Limited Quantity. After 12/31/2020, ORM-D will not apply.

15. Regulatory Information

Federal Regulations

Registration status:

Chemical TSCA, US blocked / not listed

Crop Protection TSCA, US released / exempt

EPCRA 311/312 (Hazard categories): Acute; Chronic

CERCLA RQ CAS Number Chemical name 5000 LBS 67-64-1 Acetone 100 LBS dimethyl ether 115-10-6 1 LBS 8003-34-7 **Pyrethrins**

State regulations

Revision date : 2016/12/05 Page: 14/15 Version: 3.0 (30603278/SDS_CPA_US/EN)

Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

CAUTION:

KEEP OUT OF REACH OF CHILDREN.

KEEP OUT OF REACH OF DOMESTIC ANIMALS.

Prolonged or repeated skin contact may cause sensitization or allergic reactions.

Avoid contact with the skin, eyes and clothing.

Wash thoroughly after handling.

Flammable Liquid

Aerosol container contains flammable gas under pressure.

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2016/12/05

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING

Revision date : 2016/12/05 Page: 15/15 Version: 3.0 (30603278/SDS_CPA_US/EN)

WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET