

Turf Mark®

Spray Indicator

A blue spray indicator for turf and termiticide pretreatments

- See where you spray
- Indicates skips and overlaps
- Dissipates under sunlight or moisture
- Improves applicator safety

FOR PROFESSIONAL USE ONLY

Keep Out of Reach of Children

This product does not require a hazard warning in accordance with GHS criteria.

Net Contents:

BASF Corporation
26 Davis Drive, Research Triangle Park, NC 27709

Directions for Use

Turf Application tips: Flat fan spraying tips are recommended when applying **Turf Mark**[®]. Increased volumes of spray solution should be used when **Turf Mark** is applied to hard-to-mark areas. Longer or thinner stands of turf or sod may be more difficult to mark due to the non-uniform marking surface. Increasing the total volume of spray solution applied to those areas should reduce marking difficulty. Experimentation with the volume of spray solution and rate of **Turf Mark** applied per acre or area should allow each applicator to establish a rate that is functional and economical for each application. The more **Turf Mark** used, the darker the spray pattern.

Termiticide Pretreatment Applications tips: **Turf Mark** is intended as a marking aid by licensed pest control technicians to identify where structural pesticides have been applied. **This product may stain certain surfaces in pretreatment applications. The pest control operator and application technicians should take all necessary precautions to avoid and prevent staining of non-target structural and other construction surfaces.**

Suggested Use Chart Per 100 Gallons (380 Liters) of Solution			
Area to be Applied	Dormant	Light	Dark
Greens, Tees	6-8 fl oz (175-240 mL)	6-10 fl oz (175-300 mL)	10-14 fl oz (300-415 mL)
Fairways, Lawns, Parks	6-10 fl oz (175-300 mL)	10-18 fl oz (300-530 mL)	10-24 fl oz (530-710 mL)
Roughs	12-18 fl oz (355-530 mL)	18-24 fl oz (530-710 mL)	24-30 fl oz (710-890 mL)

Rates for application of Turf Mark with backpack or small sprayer:

Tank Size	Suggested Amount
1 Gallon	1 fl oz (29 mL)
3 Gallons	2-3 fl oz (60-90 mL)
30 Gallons	6-10 fl oz (175-300 mL)
100 Gallons	18-24 fl oz (530-710 mL)

Rates for application of Turf Mark for use as termiticide pretreatment:

Wood pretreatment: 2 to 4 fl oz per 100 gallons
Pre-slab/Soil: 12-24 fl oz per 100 gallons

Storage and Disposal

Storage: Keep away from heat. Protect from direct sunlight.

Waste Disposal of Substance: Must be disposed of or incinerated in accordance with local regulations.

Container Disposal: Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

Accidental Release Measures: Segregate from foods and animal feeds. Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr). For large amounts: Dike spillage, Pump off product. Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

State Right To Know Description and CAS # / TSNR

Acid Blue / TSNR 161090809-5071; Proprietary compound / TSNR 161090809-5100; Proprietary Alcohol / TSNR 161090809-5222

EMERGENCY CONTACT:
CHEMTREC 1-800-424-9300
BASF Corporation 1-800-832-HELP (4357)

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer. BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above. **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.** BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

Turf Mark is a registered trademark of BASF.

© 2016 BASF Corporation
All rights reserved.

TURF MARK SPEC 8/2016

BASF Corporation
26 Davis Drive
Research Triangle Park, NC 27709


We create chemistry