Bayer Environmental Science

Material Safety Data Sheet



MSDS Number: 00000002269 MSDS Version: 1.0 Approval Date: 12/14/2004

Lesco Bandit 0.5G Insecticide

SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product Name Lesco Bandit 0.5G Insecticide **Chemical Name Common Name MSDS Number** 2269 **Chemical Family Chemical Formulation EPA Registration No.** 432-1328 **Product Use** Insecticide for systemic insect control in turfgrass and landscape ornamentals.

> **Bayer Environmental Science** 95 Chestnut Ridge Road Montvale, NJ 07645 USA

For MEDICAL, TRANSPORTATION or Other EMERGENCY call 1-800-334-7577 24 hours/day For Product Information call 1-800-331-2867

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS No.	Concentration	% by Weight
		Minimum	Maximum
Imidacloprid Technical	138261-41-3	0.4000	0.6000
Crystalline Silica (Quartz)	14808-60-7		9.7000

SECTION 3. HAZARDS IDENTIFICATION

NOTE: Please refer to Section 11 for detailed toxicological information. **Emergency Overview** Caution! Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after handling.

Physical State So	olid Granular
-------------------	---------------

None Appearance Grev

Odor

Routes of Exposure Ingestion, Skin contact, Skin Absorption, Eye contact

Immediate Effects Causes eye irritation. Do not get in eyes. Eye

Lesco Bandit 0.5G Insecticide

Skin	Harmful if absorbed through skin. Avoid contact with skin and clothing.		
Ingestion	Harmful if swallowed. Do not take internally.		
Chronic or Delayed Long-Term	This product is not listed as a carcinogen by ACGIH, NTP, IARC or OSHA. However, it may contain crystalline silica (quartz), a substance which has been listed as a carcinogen by ACGIH, NTP and IARC. Crystalline silica is a naturally-occurring mineral component of many sands and clays. Although the carcinogenic potential of crystalline silica in humans is controversial, it must be considered if it is inhaled under excessive exposure conditions. The respirable portion of the silica that may be contained in this product, however, is small, such that excessive inhalation exposure during anticipated conditions of use is unlikely.		
Medical Conditions Aggravated by Exposure	No specific medical conditions are known which may be aggravated by exposure to this product. As with all materials which can cause upper respiratory tract irritation, persons with a history of asthma, emphysema, or hyperreactive airways disease may be more susceptible to overexposure. Pulmonary and respiratory diseases may be aggravated by exposure to respirable crystalline silica.		

SECTION 4. FIRST AID MEASURES

General	Have the product container or label with you when calling a poison control center or doctor or going for treatment.
Еуе	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Skin	Take off all contaminated clothing immediately. Rinse immediately with plenty of water for at least 15 minutes. Call a poison control center or doctor for treatment advice.
Ingestion	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person.
Notes to Physician	
Treatment	There is no specific antidote. Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

SECTION 5. FIRE FIGHTING MEASURES

Flash Point	Not applicable
Suitable Extinguishing Media	Water, Carbon dioxide (CO2), Dry chemical, Foam
Fire Fighting Instructions	Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Dike area to prevent runoff and contamination of water sources. Equipment or materials involved in pesticide fires may become

Lesco Bandit 0.5G Insecticide

contaminated.

In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

General and Disposal Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

Land Spill or Leaks Avoid dust formation. Avoid breathing dust. Avoid contact with skin and eyes. Use recommended protective equipment while carefully sweeping up spilled material. Place in covered container for reuse or disposal. Scrub contaminated area with soap and water. Rinse with water. Use dry absorbent material such as clay granules to absorb and collect wash solution for proper disposal. Contaminated soil may have to be removed and disposed. Do not allow material to enter streams, sewers, or other waterways.

SECTION 7. HANDLING AND STORAGE Handling Procedures Handle and open container in a manner as to prevent spillage. **Storing Procedures** Do not contaminate water, food, or feed by storage or disposal. Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Work/Hygienic Wash hands before eating, drinking, chewing gum, using tobacco or using the **Procedures** toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. As soon as practical, wash thoroughly and change into clean clothing. Min/Max Storage 30 day average temperature not to exceed 38°C (100°F) **Temperatures**

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls	Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.
Eye/Face Protection	Tightly fitting safety goggles.
Hand Protection	Suitable chemical resistant gloves
Body Protection	Wear long-sleeved shirt and long pants and shoes plus socks.
Respiratory Protection	When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the

Lesco Bandit 0.5G Insecticide

appropriate regulatory standards and/or Industry recommendations.

General Protection Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Educate and train employees in safe use of the product. Follow all label instructions.

Exposure Limits Crystalline Silica (Quartz)	14808-60-7	NIOSH	REL		0.05 mg/m3
· · · ·		Form of E	Exposure	Respirable dust.	
		OSHA Z1A	TWA		0.1 mg/m3
		Form of E	Exposure	Respirable dust.	
		US CA OEL	TWA PEL	_	0.1 mg/m3
		Form of E	Exposure	Respirable dust.	
		US CA OEL	TWA PEL	_	0.3 mg/m3
		Form of E	Exposure	Total dust.	
		ACGIH	TWA		0.05 mg/m3
		Form of E	Exposure	Respirable fraction.	
		OSHA Z1	PEL		5 mg/m3
		Form of E	Exposure	Respirable fraction.	
		OSHA Z1	PEL		15 mg/m3
		Form of E	Exposure	Total dust.	
		ACGIH NIC	TWA		0.025 mg/m3
		Form of E	Exposure	Respirable fraction.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Grey
Physical State	Solid Granular
Odor	None
Bulk Density	55-60 lbs/cu ft
Water Solubility	Insoluble

SECTION 10. STABILITY AND REACTIVITY

Chemical Stability	Stable
Conditions to Avoid	Extreme temperatures
Hazardous Decomposition Products	Hydrogen chloride (HCl) Hydrogen cyanide (hydrocyanic acid) Carbon dioxide (CO2) Nitrogen oxides (NOx)
Hazardous Polymerization (Conditions to Avoid)	Will not occur.

SECTION 11. TOXICOLOGICAL INFORMATION

Only an acute eye irritation study has been performed on this product as formulated. All other acute toxicity data have been bridged from a similar granular formulation containing a higher percentage of the active ingredient, imidacloprid. The non-acute information pertains to the technical-grade active ingredient.

Acute Oral Toxicity	Male/Female Rat: LD50: > 4,820 mg/kg		
Acute Dermal Toxicity	Male/Female Rabbit: LD50: > 2,000 mg/kg		
Acute Inhalation Toxicity	Male/Female Rat: LC50: > 5.09 mg/l Exposure time: 4 h Determined in the form of dust. (actual)		
	Male/Female Rat: LC50: Exposure time: 1 h Determined in the form of Extrapolated from the 4 h (actual)	f dust.	
Skin Irritation	Rabbit: non-irritant		
Eye Irritation	Rabbit: Mild eye irritation		
Sensitization	Guinea pig: non-sensitizing		
Subchronic Toxicity	chronic Toxicity In a 3-week dermal toxicity study, rabbits treated with imidad local or systemic effects at levels up to and including 1000 n		
			high concentrations of imidacloprid hanges in clinical chemistries and
Chronic Toxicity	In chronic dietary studies in rats and dogs exposed to imidacloprid, the target organs were the thyroids and/or liver.		
Assessment Carcinogenicities in In oncogenicity studies in	•	d was not considere	d carcinogenic in either species.
ACGIH Crystalline Silica (Quar NTP	tz)	14808-60-7	Group A2
Crystalline Silica (Quar IARC	tz)	14808-60-7	
Crystalline Silica (Quar OSHA None	tz)	14808-60-7	Overall evaluation: 1
Reproductive & Developmental Toxicity	REPRODUCTION: In a two-generation reproduction study in rats, imidaclopri was not a primary reproductive toxicant. Offspring exhibited reduced body weights at the high dose and in conjunction with maternal toxicity.		pring exhibited reduced body
	DEVELOPMENTAL TOX	ICITY: In developme	ental toxicity studies in rats and

Lesco Bandit 0.5G Insecticide

rabbits, there was no evidence of an embryotoxic or teratogenic potential for imidacloprid. In both species, developmental effects were observed only at high doses and in conjunction with maternal toxicity.

NeurotoxicityIn acute and subchronic neurotoxicity screening studies in rats, imidacloprid
produced slight neurobehavioral effects in each study at the highest dose tested.
There were no correlating morphological changes observed in the neural tissues.

In a one-generation developmental neurotoxicity screening study in rats, offspring exposed to imidacloprid showed decreased motor activities. These effects occurred at the highest dose tested and in conjunction with maternal toxicity. There were no correlating morphological changes observed in the neural tissues.

Mutagenicity The imidacloprid mutagenicity studies, taken collectively, demonstrate that the active ingredient is not genotoxic or mutagenic.

SECTION 12. ECOLOGICAL INFORMATION

EnvironmentalHighly toxic to aquatic invertebrates. Do not apply directly to water, to areas
where surface water is present or to intertidal areas below the mean high water
mark. Do not contaminate surface or ground water by cleaning equipment or
disposal of wastes, including equipment wash water.

Ecological Information This chemical demonstrates the properties and characteristics associated with chemicals detected in ground water. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination.

SECTION 13. DISPOSAL CONSIDERATIONS

General Disposal Guidance	Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
Container Disposal	Completely empty container into application equipment, then dispose of empty container in a sanitary landfill, by incineration or by other procedures approved by state/provincial and local authorities. If burned, stay out of smoke.
RCRA Classification	Not Regulated under this Statute

SECTION 14. TRANSPORT INFORMATION

DOT CLASSIFICATION: Not regulated for Domestic Surface Shipment

FREIGHT CLASSIFICATION: Insecticides or Fungicides, N.O.I., other than poison

SECTION 15. REGULATORY INFORMATION

EPA Registration No. 432-1328

Lesco Bandit 0.5G Insecticide

US Federal Regulations		
TSCA list Crystalline Silica (Quartz)	14808-60-7	
US. Toxic Substances Control Act (TSCA) See		Notification (40 CFR 707, Subpt D)
None		
SARA Title III - section 302 - notification and i None	nformation	
SARA Title III - section 313 - toxic chemical re	lease reporting	
None		
US States Regulatory Reporting CA Prop65		
This product contains a chemical known to the	State of California	to cause cancer.
Crystalline Silica (Quartz)	14808-60-7	
This product does not contain any substances harm.	known to the State	e of California to cause reproductive
US State right-to-know ingredients		
Crystalline Silica (Quartz)	14808-60-7	IL, MA, MN, PA
Canadian Regulations Canadian Domestic Substance List Crystalline Silica (Quartz)	14808-60-7	
Environmental		
CERCLA		
None		
Clean Water Section 307 Priority Pollutants None		
Safe Drinking Water Act Maximum Contamina	int Levels	
None		
International Regulations		
EU Classification		
European Inventory of Existing Commercial S Crystalline Silica (Quartz)	14808-60-7	CS)
SECTION 16. OTHER INFORMATION		

SECTION 16. OTHER INFORMATION

NFPA 704: (National Fire Protection Association)
Health - 1Flammability - 1Reactivity - 1Others - None0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

MSDS REVISION INDICATOR: New Material Safety Data Sheet.

Approval Date: 12/14/2004

This information is provided in good faith but without express or implied warranty. Buyer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer AG.:Bayer Environmental Science