



## DIRECTIONS FOR FLOOR MAINTENANCE

1. ATTACH PUMP TO TOP OF CONTAINER
2. ADD UP TO FIVE (5) GALLONS OF WATER INTO MOP BUCKET
3. ADD ONE (1) OUNCE OF OE-30 PER GALLON OF WATER BY DEPRESSING THE TOP OF THE PUMP ONE TIME PER OUNCE
4. IF USING WALL MOUNTED DISPENSER PRESS AND HOLD THE GREEN BUTTON ON THE FRONT OF THE UNIT UNTIL THE MOP BUCKET IS FULL
5. INSERT MOP HEAD INTO BUCKET AND STIR TO MIX OE-30 AND WATER EVENLY
6. ONCE PER DAY APPLY MIXTURE WITH MOP TO ALL FLOOR SURFACE AREAS INCLUDING FLOOR DRAINS AND UNDER EQUIPMENT BUT DO NOT RINSE
7. DISCARD USED MOP WATER AFTER APPLICATION INTO MAIN FLOOR DRAIN

## CAUTION

MAY CAUSE IRRITATION TO EYES AND SENSITIVE SKIN. AVOID CONTACT WITH EYES. CONTAINS SYNTHETIC DETERGENTS, ENZYMES AND VIABLE BACTERIAL CULTURES  
KEEP OUT OF REACH OF CHILDREN  
DO NOT MIX WITH BLEACH  
DO NOT MIX WITH WATER EXCEEDING 120° F  
DO NOT INHALE

## DIRECTIONS FOR FOAMING DRAIN CLEANER ON NON FOOD CONTACT SURFACES AREAS AND EQUIPMENT

1. SHAKE WELL. ATTACH DISCHARGE TUBE TO NOZZLE. INSERT TUBE INTO DRAIN OPENING.
2. APPLY PRODUCT FOR APPROXIMATELY 5 SECONDS INTO DRAINLINES & TO OUTER HOUSING OF ALL NON FOOD CONTACT SURFACES
3. LET MATERIAL DRY ON ALL APPLIED SURFACES
4. RE-APPLY MATERIAL EACH DAY UNTIL CLEAN
5. RE-APPLY MATERIAL ONCE PER WEEK TO MAINTAIN NON BUILD-UP OF ORGANIC COMPOUNDS

## FIRST AID

EYES: FLUSH WITH WATER FOR 15 MINUTES

SKIN: WASH WITH SOAP AND WATER, REMOVE CONTAMINATED CLOTHING.

IF SWALLOWED: GIVE TWO (2) GLASSES OF WATER TO DILUTE PRODUCT. DO NOT INDUCE VOMITING.  
CONTACT LOCAL PHYSICIAN



# OE-30

# CONCENTRATE

MANUFACTURED FOR ORKIN PEST CONTROL  
MICROBIAL BLEND FOR USE AS A CLEANER

OE-30 IS A SPECIALIZED BLEND OF LIQUID BACTERIAL CULTURES,  
SURFACTANTS, AND ENZYMES SPECIFICALLY SELECTED FOR  
THE DEGRADATION OF WASTE BUILDUP

## APPLICATIONS

FLOOR SERVICE AREAS  
FLOOR DRAINS  
TRASH RECEPTACLES  
BAR AREAS

NON FOOD CONTACT SURFACE RESTAURANT EQUIPMENT AND HOUSING

## FEATURES

DEGRADES A WIDE RANGE OF ORGANIC COMPOUNDS  
CLEANS FLOOR SERVICE AREAS  
CLEANS NON FOOD CONTACT SURFACE RESTAURANT EQUIPMENT AND HOUSING  
CONTROLS ODORS  
CONTAINS SURFACTANTS AND ENZYMES TO HELP  
LIQUIFY UNSANITARY ORGANIC COMPOUND BUILD-UP

## BENEFITS

REDUCES ORGANIC COMPOUND BUILD-UP IN FLOOR DRAINS, GROUT,  
AND ON NON-SLIP FLOORING  
REDUCES ORGANIC COMPOUND BUILD-UP IN HARD TO REACH AREAS, UNDER  
OR AROUND HEAVY EQUIPMENT  
REDUCES ORGANIC COMPOUND BUILD-UP TO NON FOOD CONTACT SURFACE  
RESTAURANT EQUIPMENT  
REDUCES FOUL ODORS FROM STANDING WATER  
REDUCES CUSTOMER COMPLAINTS ABOUT FOUL ODORS  
CAUSED FROM ORGANIC COMPOUNDS

CALL 1-800-800 ORKIN