



Special Local Need

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF IDAHO

ACEPHATE 97UP INSECTICIDE

FOR INSECT CONTROL IN CARROTS GROWN FOR SEED ONLY

EPA Reg. No. 70506-8

EPA SLN No. ID-090013

Active Ingredient	By Wt.
Acephate:(O,S-Dimethyl acetylphosphoramidothioate)	97%
Other Ingredients	3%
Total	100%

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This supplemental label and the federally registered label must be in the possession of the user at the time of pesticide mixing and application. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on this supplemental label and the main EPA registered label.

CARROTS (Seed Crop Only)

Apply *Acephate 97UP Insecticide* at a rate of 1.0 lb. product per acre in a minimum of 10 gal. (by ground or air application method) per acre spray volume for the suppression of Lygus bugs and control of green peach aphids in carrots grown for seed. It is suggested that a buffering agent be added to stabilize the spray solution and that an anti-drift agent be added to minimize off-target movement. Repeat the application as necessary to maintain control, but do not make more than 2 applications per season.

RESTRICTIONS:

1. Do not apply more than 2 1/8 lb./A (2 lb. a.i./A) of Acephate 97UP Insecticide (acephate) per acre per year.
2. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or broadleaf weeds. Do not spray if there is another seed field within 1/2 mile that is being pollinated. Do not apply this product to blooming carrot seed crop during the pollination period. Apply at the end of the pollination period. Bee colonies used for pollination must be removed from the field being treated prior to the application.
3. Do not apply to carrots grown for fresh market or processing.
4. For use under this SLN label, do not apply this product through any type of irrigation system.